

Cozoc Group Inc.
Product Catalog
1-844-GO-COZOC



Cozoc products are ,
easy to use, service and clean.
Made of top quality materials.
Innovative all digital controls.





Cozoc Who We Are.

Cozoc Group Inc. is a twenty year old manufacture of heater proofers, cook and holds, cook and hold smokers, heated banquet cabinets, mobile transportation cabinets, and a variety of humidified and non humidified heated food merchandisers.


Our products feature all digital controls and an LED temperature gauge for easy set up and precise, accurate food preparation. Our proofing cabinets have a zinc alloy machined handle, a variety of different rack systems for different applications in the food industry, are available in non-insulated or insulated cabinets. All of Cozoc Group products are ETL sanitation approved and feature a one-year limited warranty.

Cozoc products are built to the highest standard, using high grade metals and stainless-steel, long lasting precise digital technology for controls. Cozoc products are easy to clean, program, use, and most importantly our easy removable racks in our heater proofers cabinets make cleaning fast and easy.


Cozoc is a family owned company which takes pride in our quality, durability and ease of use. Cozoc is committed to delivering durable, high quality, cutting edge technology as well as easy set up and easy cleaning.

Cozoc all digital controls offer easy trouble shooting should a service issue arise, the Cozoc Group all digital control panel will flash an error code if there is a issue. Making a service call quicker and more efficient.

Cozoc Group welcomes the opportunity to assist you in choosing your Cozoc Group product or to assist with any questions you may have 1-844-GO-COZOC(462-6469).



Standard



Universal

Cozoc Group Racks Legend

Standard

Slides protrude 1 1/2", shelf/story with 1 1/2" between slides
Half Size

Sixteen Pan Capacity 18" x 26"

Full Size HPC

Thirty-two Pan Capacity 18" x 26"

Adjustable

Slides protrude 3 1/4", Adjustable between slides.

Accommodates hotel pans

Includes thirty-two slides = Sixteen story
18"x26", 20"x12", 12"x20", 13"x18", 14"x18".

Can add up to a maximum of thirty-two shelf/story.

Additional Slides available for purchase.

Universal rack system

Slides protrude 3" shelf/story with 3" between slides


Accommodates hotel pans

Sixteen Pan Capacity, 18"x26", 20"x12", 12"x20", 13"x18",
14"x18".





Multipurpose Universal rack system

Protrudes 6" shelf/story with 3" between slides

Sixteen 24" x 24" pans, Thirty-two 20"x12" or Sixteen 18" x
26" pans. See Next page for visual.



Adjustable Rack



Cozoc Multipurpose Universal Rack System

Position A-A: 16 pan capacity of 24" x 24" sheet pans, 22" and 24" Pizza Box .

Position B-B: 16 pan capacity 18"X26", 32 pan capacity 12" x 20" sheet pans, 18" and 20" Pizza Box.

***This unique rack system will hold any size hotel pan due to the multiple positions.**

Specification

HPC7008UC-C9S1

Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Adjustable & Universal Rack System. Pan capacity is 9 story 18" x26".
- ◆ Clear polycarbonate door for easy viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet.

Note: Dimensions and Specification are subject to change without notice.




This 31" under counter heater proofer, is energy efficient, space savings, ADA compliant cabinet, ideal when space is a concern. Featuring a universal and adjustable pan rack system. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7008UC-C9S1




Front View



Side View



Top View



Pan Capacity 9 story, 18" x26" in 1-1/2" Increments.

Electrical 120 Volts

Power 1500 Watts

Net Weight 65 lbs.

Gross shipping weight 75 lbs.

Class 100

Dimensions 23.3" W x 32" D x 31" H

Package 24" W x 33" D x 32" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7008HF-C9F8

Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Total pan capacity is Sixteen story, full size pan (18" x26").
- ◆ Clear polycarbonate door for easy viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet

Note: Dimensions and Specification are subject to change without notice.



This Half-size Heater Proofer cabinet can hold up to seventeen, 18" x 26" full size pans, as well as a variety of others. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming.


Designed with enduring quality in mind.

Dimensions and Specifications


HPC7008HF-C9F8




Front View



Side View



Top View



Pan Capacity 16 shelves/stories, 18" x 26" sheets

Electrical 120 Volts

Power 1500 Watts

Net Weight 90 lbs.

Gross shipping weight 117 lbs.

Class 100

Dimensions 23.3" W x 32" D x 41.5" H

Package 24" W x 33" D x 42" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7008-C9F8



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Total pan capacity is Thirty-two full size Pan (18" x26") .
- ◆ Clear polycarbonate door for easy viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet.

Note: Dimensions and Specification are subject to change without notice.




This full-size Heater Proofer cabinet can hold up to 32 18" x 26" full size pans, as well as a variety of others. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7008-C9F8




Front View



Side View



Top View



Pan Capacity 32 Story, 18" x 26" sheets

Electrical 120 Volts

Power 1500 Watts

Net Weight 138 lbs.

Gross shipping weight 152 lbs.

Class 100

Dimensions 23.3" W x 32" D x 66.6" H

Package 24" W x 33" D x 69" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7008-C9S1

Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Adjustable Rack System. Sixteen shelf/story position. Can add up to max Thirty two Shelf/story.
- ◆ Clear polycarbonate door for easy viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet.

Note: Dimensions and Specification are subject to change without notice.




This full-size cabinet, offers an Adjustable Rack System, allows you the option to adjust the racks to fit your specific needs. It can hold a wide assortment of pan sizes including up to a 18" pizza box. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7008-C9S1




Front View



Side View



Top View



Pan Capacity Adjustable Rack System
Total 16 pcs Pan Capacity
18"x26", 20"x12", 13"X 18" or 14"X18:.
Will take up to 18" Pizza box.
Hotel steam pans as well.

Options Additional slides available for purchase.

Electrical 120 Volts

Power 1500 Watts

Net Weight 138 lbs.

Gross shipping weight 152 lbs.

Class 100

Dimensions 23.3" W x 32" D x 66.6" H

Package 24" W x 33" D x 69" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7008-MC9S1

Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Adjustable Rack System. Thirty-two slides = 16 shelf/story position. Max 32 Shelf/stories. Additional racks available for purchase.
- ◆ Clear polycarbonate door for easy viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet

Note: Dimensions and Specification are subject to change without notice.



This full-size cabinet, offers an Adjustable Rack System, allows you the option to adjust the racks to fit your specific needs. It can hold a wide assortment of pan sizes including up to a 21" pizza box. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7008-MC9S1




Front View



Side View



Top View



Pan Capacity Adjustable Rack System
Total 16 pcs Pan Capacity
18"x26", 20"x24", 20"x12", 13"x
18" or 14"x18".
Will take up to 21" Pizza box.

Options Additional slides available for purchase.

Electrical 120 Volts

Power 1500 Watts

Net Weight 158 lbs.

Gross shipping weight 198 lbs.

Class 100

Dimensions 26.5" W x 32" D x 66.5" H

Package 27" W x 33" D x 69" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7011-C9F9 Universal Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Universal Rack System can hold both full size sheet pans (18"X26") as well as hotel steam pans
- ◆ Clear polycarbonate door for easy viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet

Note: Dimensions and Specification are subject to change without notice.



This full-size cabinet, offers an Universal Rack System, allows you the option to adjust the racks to fit your specific needs. It can hold a wide assortment of pan sizes including up to a 18" pizza box. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications

HPC7011-C9F9


Universal Rack System



Front View

Side View

Top View



Pan Capacity Universal Rack System
16 Pan Capacity, 18" x 26", 12" x 20",
16" x 20", 13" x 18", 14" x 18"
Holds up to 18" Pizza Box
Accommodates hotel pans

Options None

Electrical 120 Volts

Power 1500 Watts

Net Weight 141 lbs.

Gross shipping weight 154 lbs.

Class 100

Dimensions 23.3" W x 32" D x 66.6" H

Package 24" W x 33" D x 69" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7011-WC9F9L Donut Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Multipurpose Universal rack system 6" shelf/story with 3" spacing. Sixteen 24" x 24" pans, Thirty-two 20"x12" or Sixteen 18" x 26" pans. Will hold 18", 20" 22" and 24" pizza boxes.
- ◆ Clear polycarbonate door for easy viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet.


Note: Dimensions and Specification are subject to change without notice.



Originally manufactured for the donut industry, this wider cabinet features a 6" revolutionary rack system, offers 3" spacing. Sixteen 24"x24" pans, Thirty-two 20"x12" or Sixteen 18"x26" pans. Made for 18", 20", 22" and 24" pizza boxes. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications

HPC7011-WC9F9L



Pan Capacity Multipurpose Universal rack system

6" shelves/story, 3" spacing,

Sixteen 24" x 24" pans,

Thirty two 20"X12" or

Sixteen 18" x 26" pans.

18",20",22" and 24" pizza boxes.

Hotel steam pans as well

Electrical 120 Volts

Power 1500 Watts

Net Weight 160 lbs.

Gross shipping weight 193 lbs.

Class 100

Dimensions 29.2"W x 32"D x 66.5"H

Package 30"W x 33"D x 69"H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7101HF-C9F8 Insulated Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Total pan capacity is sixteen full size Pan (18" x26") .
- ◆ Clear polycarbonate door for viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet.

Note: Dimensions and Specification are subject to change without notice.




This Half-size Heater Proofer cabinet can hold up to seventeen, 18" x 26" full size pans, as well as a variety of others. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7101HF-C9F8




Front View



Side View



Top View



Pan Capacity 16 story, 18" x 26" sheets

Electrical 120 Volts

Power 1500 Watts

Net Weight 161lbs.

Gross shipping weight 187 lbs.

Class 100

Dimensions 24.5" W x 32" D x 41.5" H

Package 25" W x 33" D x 42" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7101HF-SF8 Insulated Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined zinc alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Total pan capacity is sixteen story, full size pan (18" x26") .
- ◆ Stainless Steele insulated solid door.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet.

Note: Dimensions and Specification are subject to change without notice.




This Half-size Heater Proofer cabinet can hold up to seventeen, 18" x 26" full size pans, as well as a variety of others. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7101HF-SF8




Front View



Side View



Top View



Pan Capacity 16 story, 18" x 26" sheets

Electrical 120 Volts

Power 1500 Watts

Net Weight 161lbs.

Gross shipping weight 187 lbs.

Class 100

Dimensions 24.5" W x 32" D x 41.5" H

Package 25" W x 33" D x 42" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7101-C9F8 Insulated Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Total pan capacity thirty-two full size Pan (18" x26") .
- ◆ Clear polycarbonate door for viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet

Note: Dimensions and Specification are subject to change without notice.




This full-size Heater Proofer cabinet can hold up to 32 18" x 26" full size pans, as well as a variety of others. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7101-C9F8




Front View



Side View



Top View



Pan Capacity 32 story, 18" x 26" sheets

Electrical 120 Volts

Power 1500 Watts

Net Weight 213 lbs.

Gross shipping weight 255 lbs.

Class 100

Dimensions 24.5" W x 32" D x 66.9" H

Package 25" W x 33" D x 68" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7101-C9S1 Insulated Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Adjustable Rack System. Sixteen story. Can add up to max thirty-two story.
- ◆ Clear polycarbonate door for viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet.

Note: Dimensions and Specification are subject to change without notice.




This full-size Insulated Heater Proofer cabinet can hold up to thirty four 18" x 26" full size pans, as well as a variety of others. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7101-C9S1




Front View



Side View



Top View



Pan Capacity Adjustable Rack System
Total 16 story, 18"x26", 20"x12", 13"x18"
or 14"x18". Will take up to 18" Pizza box.
Hotel steam pans as well.

Electrical 120 Volts

Power 1500 Watts

Net Weight 213 lbs.

Gross shipping weight 246 lbs.

Class 100

Dimensions 24.5" W x 32" D x 66.9" H

Package 25" W x 33" D x 68" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7101-C9F9 Insulated Universal



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Universal Rack System can hold both full size sheet pans (18"X26") as well as hotel steam pans.
- ◆ Clear polycarbonate door for viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet

Note: Dimensions and Specification are subject to change without notice.




This full-size Insulated cabinet, offers an Universal Rack System, allows the option to adjust the racks to fit your specific needs. It can hold a wide assortment of pan sizes including up to a 18" pizza box. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7101-C9F9




Front View



Side View



Top View



Pan Capacity Universal Rack System
16 story, 18" x 26", 12" x 20", 16" x 20",
13" x 18", 14" x 18"
Holds up to 18" Pizza Box
Accommodates hotel pans

Options

Electrical 120 Volts

Power 1500 Watts

Net Weight 211 lbs.

Gross shipping weight 243 lbs.

Class 100

Dimensions 24.5" W x 32" D x 66.9" H

Package 24" W x 33" D x 68" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7101-MSS1 Insulated Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Adjustable Rack System. Sixteen story. Can add up to max thirty-two story.
- ◆ Solid insulated door.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet.

Note: Dimensions and Specification are subject to change without notice.




This full-size Insulated Cabinet offers an Adjustable Rack System, allows you the option to adjust the racks to fit your specific needs. . Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7101-MSS1




Front View



Side View



Top View



Pan Capacity Adjustable Rack System
Total 16 pcs Pan Capacity
18"x26", 20"x24", 20"x12",
13"x 18" or 14"x18".
Will take up to 21" Pizza box.
Hotel steam pans as well.

Electrical 120 Volts

Power 1500 Watts

Net Weight 230 lbs.

Gross shipping weight 275 lbs.

Class 100

Dimensions 27.5" W x 32" D x 66.9" H

Package 28" W x 33.5" D x 68" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7101-MSDS1 Insulated Heater Proofer Pass Through



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Adjustable Rack System. Sixteen story position. Can add up to max thirty-two story.
- ◆ Solid double doors, Pass through.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet.

Note: Dimensions and Specification are subject to change without notice.




This full-size Insulated Cabinet offers an Adjustable Rack System, allows you the option to adjust the racks to fit your specific needs. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7101-MSDS1




Front View



Side View



Top View



Pan Capacity Adjustable Rack System
Total 16 story Pan Capacity
18"x26", 20"x24", 20"x12",
13"x 18" or 14"x18".
Will take up to 21" Pizza box.
Hotel steam pans as well.

Electrical 120 Volts

Power 1500 Watts

Net Weight 242 lbs.

Gross shipping weight 286 lbs.

Class 100

Dimensions 27.5" W x 34.9" D x 66.9" H

Package 28" W x 35" D x 68" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7101-WC9DF9L

Insulated Heater Proofer Pass through



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Water pan provides moisture for proofing.
- ◆ Humidity up to 95% (under 90F).
- ◆ Multipurpose universal rack system, sixteen 6" story with 3" spacing. Sixteen 24" x 24" pans, Thirty-two 20"X12" or Sixteen 18" x 26" pans. Will hold 18", 20", 22" and 24" pizza boxes.
- ◆ Clear polycarbonate door for viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Aluminum cabinet.




Note: Dimensions and Specification are subject to change without notice.



This wider insulated cabinet features a 6" shelf/story revolutionary rack system, with 3" spacing. Sixteen 24"x24" pans, Thirty-two 20"X12" or Sixteen 18"x26" pans. Made for 18", 20", 22" and 24"pizza boxes. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications

HPC7101-WC9DF9L



Pan Capacity Multipurpose Universal rack system

16 story, 6" story, 3" spacing

Sixteen 24" x 24" pans,

Thirty two 20"X12" or

Sixteen 18" x 26" pans.

18",20",22" and 24" pizza boxes.

Hotel steam pans as well

Electrical 120 Volts

Power 1500 Watts

Net Weight 286 lbs.

Gross shipping weight 330 lbs.

Class 100

Dimensions 30.4 "W x 34.7"D x 67"H

Package 31"W x 35"D x 68"H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7100 Remote Insulated Universal Heater Proofer



- ◆ Designed for proofing and heating.
- ◆ All digital display and controls.
- ◆ Set up manually or by remote control.
- ◆ Auto control inflow of water provides moisture for proofing. Water can be added manually as well.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185 F.
- ◆ Humidity up to 95% (under 90F).
- ◆ Universal Rack System can hold both full size sheet pans (18"X26") as well as hotel steam pans. Sixteen story.
- ◆ Two Clear polycarbonate door for viewing.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Remote Control with mounted holder.
- ◆ Aluminum and Steele cabinet.

Note: Dimensions and Specification are subject to change without notice.



Remote Control Included

This full-size Insulated cabinet, offers two compartments with Universal Rack System. Easy set up with digital controls or by using the supplied remote control. Offering the ability to proof a variety of baked goods, allowing dough to rise before baking. All digital temperature controls with easy set up. Enables a variety of temperatures, including warming. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7100 Remote



Front View

Side View

Top View



Pan Capacity Universal Rack System

Accommodates hotel pans

16 shelves/story. 18" x 26" or 16" x 20"

Holds up to 18" Pizza Box.

Options

Electrical 120 Volts

Power 1800 Watts

Net Weight 229 lbs.

Gross shipping weight 271 lbs.

Class 100

Dimensions 27" W x 32.8" D x 71" H

Package 28" W x 34" D x 78" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7102

Insulated Heated Roll-In Cabinet



- ◆ Heated roll in cabinet, roll-in rack included.
- ◆ All digital display and controls.
- ◆ Machined Zinc Alloy handle.
- ◆ Adjustable thermostat for a variety of warming temperatures.
- ◆ Holding temperature up to 185F
- ◆ This insulated, solid door cabinet is designed to accept roll-in racks and hold/warm baked or cooked foods.
- ◆ Load Rack Dimensions 21" X 27" X 64"
- ◆ Total pan capacity is 18 pieces (18" x26")
- ◆ Aluminum and Steele cabinet

Note: Dimensions and Specification are subject to change without notice.




This insulated, solid door cabinet is designed to accept roll-in racks (one is included) and hold/warm baked or cooked foods perfectly. Built-in digital temperature controls and easy set up enables you to choose a variety of temperatures for warming a variety of foods designed with enduring quality in mind.

Dimensions and Specifications


HPC7102




Front View



Side View



Top View



Pan Capacity Eighteen 18" x 26" sheets

Electrical 120 Volts

Power 1800 Watts

Included Roll-in rack, Stainless Steele Ramp

Net Weight 255 lbs.

Gross shipping weight 290 lbs.

Class 100

Dimensions 25.7" W x 31" D x 80.3" H

Package 28" W x 33.75" D x 82.5" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7013HF

Cook and Hold Oven



- ◆ Designed for cooking and holding.
- ◆ Digital Electronic controls, select a variety of cooking temperatures & time.
- ◆ Digital Timer to notify user when process is complete.
- ◆ Cooks by time and automatically converts from cook mode to hold mode.
- ◆ Control features indicator lights for the cook cycle and hold function.
- ◆ Side racks with fifteen pan positions spaced on 1-1/2" (38mm) centers, per compartment.
- ◆ Solid door with magnetic door latch, Zinc Alloy machined handle.
- ◆ Heavy duty 5" casters, two swivel with brakes, two rigid. Provides mobility when fully loaded.
- ◆ Maximum temperature 325°F.
- ◆ Stainless steel.

[Note: Dimensions and Specification are subject to change without notice.](#)




This Energy Efficient half size oven has a controlled, uniform heat source that maintains close temperature tolerances throughout the cooking and holding function. As a result, consistent cooking offers low shrinkage of bulk or portion-cut protein items, higher food moisture content, and significantly longer holding life. Max temperature 325 degrees °F.

Specifications and Dimensions


HPC7013HF




Front View



Side View



Top View



Pan Capacity 18" x 26" x 1" 15 pcs

20" x 12" x 2-1/2", 8 pcs

20" x 12" x 4" 4 pcs

20" x 12" x 6" 4 pcs

Electrical 208 Volts, 14.5Amps, 60Hz

Power 3200 Watts

Cord Included. Need Plug end, installed by qualified electrician.

Net Weight 187 lbs(87Kg).

Gross shipping weight 213 lbs(97Kg).

Class 100

Dimensions 25.4" W x 31" D x 41.75" H

Package 26" W x 33" D x 42" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7013HFSD Pass Through Cook and Hold



- ◆ Designed for cooking and holding.
- ◆ Digital Electronic controls, select a variety of cooking temperatures & time
- ◆ Digital Timer to notify user when process is complete.
- ◆ Cooks by time and automatically converts from cook mode to hold mode
- ◆ Control features indicator lights for the cook cycle and hold function.
- ◆ Side racks with fifteen pan positions spaced on 1-1/2" (38mm) centers, per compartment.
- ◆ Two Solid doors with magnetic door latch, Zinc Alloy machined handle and pass through ability.
- ◆ Heavy duty 5" casters, two swivel with brakes, two rigid. Provides mobility when fully loaded.
- ◆ Maximum temperature 325°F.
- ◆ Stainless steel.

[Note: Dimensions and Specification are subject to change without notice.](#)




This Energy Efficient half size oven has a controlled, uniform heat source that maintains close temperature tolerances throughout the cooking and holding function. As a result, consistent cooking offers low shrinkage of bulk or portion-cut protein items, higher food moisture content, and significantly longer holding life. Max temperature 325°F.

Specifications and Dimensions


HPC7013HFSD




Front View



Side View



Top View



Pan Capacity 18" x 26" x 1" 15 pcs
20" x 12" x 2-1/2" 8 pcs
20" x 12" x 4" 4 pcs
20" x 12" x 6" 4 pcs

Electrical 208 Volts, 14.5Amps, 60Hz

Power 3000 Watts

Cord Included. Need Pigtail, installed by electrician.

Net Weight 210 lbs(87Kg).

Gross shipping weight 235 lbs(97Kg).

Class 100

Dimensions 25.4" W x 33" D x 41.75" H

Package 26" W x 35" D x 42" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7013

Cook and Hold Oven



- ◆ Designed for cooking and holding.
- ◆ Digital Electronic controls, select a variety of cooking temperatures & time.
- ◆ Digital Timer to notify user when process is complete.
- ◆ Cooks by time and automatically converts from cook mode to hold mode.
- ◆ Control features indicator lights for the cook cycle and hold function.
- ◆ Side racks with fifteen pan positions spaced on 1-1/2" (38mm) centers, per compartment.
- ◆ Solid door with magnetic door latch, Zinc Alloy machined handle.
- ◆ Heavy duty 5" casters, two swivel with brakes, two rigid. Provides mobility when fully loaded.
- ◆ Maximum temperature is 325°F.
- ◆ Stainless steel.

[Note: Dimensions and Specification are subject to change without notice.](#)



This Energy Efficient Full size oven has two individual, dual controlled, featuring a uniform heat source that maintains close temperature tolerances throughout the cooking and holding function. As a result, consistent cooking offers low shrinkage of bulk or portion-cut protein items, higher food moisture content and significantly longer holding life. Max temperature 325 degrees °F.


Specifications and Dimensions

HPC7013


Cook and Hold Oven




Front View



Side View



Top View



Pan Capacity 18" x 26" x 1" 15 pcs

Per Compartment 20" x 12" x 2-1/2" 8 pcs

20" x 12" x 4" 4 pcs

20" x 12" x 6" 4 pcs

Electrical 208 Volts, 28.8Amps, 60Hz

Power 6400 Watts

Cord Included. Need Plug end, installed by qualified electrician.

Net Weight 374 lbs(170Kg).

Gross shipping weight 407 lbs(185Kg).

Class 100

Dimensions 25.4" W x 31" D x 77.5" H

Package 26" W x 33" D x 78" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7013HFSK Cook and Hold Smoker Oven



- ◆ Designed for cooking, holding and smoking a variety of meats.
- ◆ Digital Electronic controls, select a variety of cooking temperatures & time
- ◆ Digital Timer to notify user when process is complete.
- ◆ Cooks by time and automatically converts from cook mode to hold mode.
- ◆ Control features indicator lights for the cook cycle and hold function.
- ◆ Side racks with fifteen (15) pan positions spaced on 1-1/2" (38mm) centers (per compartment)
- ◆ Solid door with magnetic door latch, Zinc Alloy machined handle.
- ◆ Heavy duty 5" casters, two swivel with brakes, two rigid. Provides mobility when fully loaded.
- ◆ Maximum Temperature 325°F.
- ◆ Stainless steel.

[Note: Dimensions and Specification are subject to change without notice.](#)




This Energy Efficient half size oven has a controlled, uniform heat source that maintains close temperature tolerances throughout the cooking and holding function. As a result, consistent cooking offers low shrinkage of bulk or portion-cut protein items, higher food moisture content, and significantly longer holding life. Max temperature 325°F.

Specifications and Dimensions


HPC7013HFSK




Front View



Side View



Top View



Pan Capacity 18" x 26" x 1" 15 pcs

20" x 12" x 2-1/2" 8 pcs

20" x 12" x 4" 4 pcs

20" x 12" x 6" 4 pcs

Electrical 208 Volts, 15.9Amps, 60Hz

Power 3370 Watts

Cord Included. Need Plug end installed by qualified electrician.

Net Weight 190 lbs(87Kg).

Gross shipping weight 217 lbs(99Kg).

Dimensions 25.4" W x 31" D x 41.75" H

Package 26" W x 33" D x 42" H

Specification

HPC7013SK Cook and Hold Smoker Oven



- ◆ Designed for cooking, holding and smoking meats.
- ◆ Digital Electronic controls, select a variety of cooking temperatures & time.
- ◆ Digital Timer to notify user when process is complete.
- ◆ Cooks by time and automatically converts from cook mode to hold mode.
- ◆ Control features indicator lights for the cook cycle and hold function.
- ◆ Side racks with fifteen pan positions spaced on 1-1/2" (38mm) centers, per compartment.
- ◆ Solid door with magnetic door latch, Zinc Alloy machined handle.
- ◆ Heavy duty 5" casters, two swivel with brakes, two rigid. Provides mobility when fully loaded.
- ◆ Maximum temperature 325°F.
- ◆ Stainless steel.

[Note: Dimensions and Specification are subject to change without notice.](#)




This Energy Efficient Full size oven has two individual, dual controlled, featuring a uniform heat source that maintains close temperature tolerances throughout the cooking and holding function. As a result, consistent cooking offers low shrinkage of bulk or portion-cut protein items, higher food moisture content and significantly longer holding life. Max temperature 325 degrees °F.

Specifications and Dimensions


HPC7013 SK Cook and Hold Smoker Oven




Front View



Side View



Top View



Pan Capacity 18" x 26" x 1" 15 pcs

Per Compartment 20" x 12" x 2-1/2" 8 pcs

20" x 12" x 4" 4 pcs

20" x 12" x 6" 4 pcs

Electrical 208 Volts, 31.8Amps, 60Hz

Power 6740 Watts

Cord Included. Need Plug end, installed by qualified electrician.

Net Weight 382 lbs(174Kg).

Gross shipping weight 415 lbs(189Kg).

Class 100

Dimensions 25.4" W x 31" D x 77.5" H

Package 26" W x 33" D x 78" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7101BQ-96



- ◆ All digital display and controls.
- ◆ Full Double banquet cabinet is welded, reinforced, stainless steel.
- ◆ Shelves are nickel-chrome plated, removable wire shelves.
- ◆ Gaskets is high-temperature tolerance, cabinet-mounted.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Plate capacity with covers 11-3/4" to 12-3/4".
- ◆ Shelf/story will hold full size sheet pans 18"X26".
- ◆ Adjustable thermostat allows a variety of warming temperatures.
- ◆ Two temperature gauges, one non-electric for monitoring transportation temperature.
- ◆ Provides cabinet holding temperature up to 200F.
- ◆ Will hold temperature of 135F to 200F for up to 2 hours during transportation.
- ◆ Insulated, welded, double-panel stainless steel door.




Heated banquet cabinet, allows you hold meals at the perfect temperature until serving them. Easy access to content, cabinet is designed to hold 11-3/4" and up to 12-3/4" diameter covered plates. The Rack System can hold full-size sheet pan 18"X26" from front to back. Built-in all digital temperature controls with easy setup, a variety of temperatures including warming. Features two temperature gauges, one for electronic monitoring and one non-electrical for transportation monitoring. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7101BQ-96



Front View



Side View



Top View







Plate configurations



8" - 8-3/4"
128 Plates



9" - 10"
96 Plates



10-1/4" - 12-3/4"
64 Plates

Pan Capacity 4 shelves/stories, 18" x 26" sheets

Electrical 120 Volts, 60Hz

Power 1500 Watts

Net Weight 300 lbs.

Gross shipping weight 340 lbs.

Class 100

Dimensions 38.1" W x 32" D x 67.4" H

Package 36.75" W x 36.75" D x 68" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7101BQ-192



- ◆ All digital display and controls.
- ◆ Full Double banquet cabinet is welded, reinforced, stainless steel.
- ◆ Shelves are nickel-chrome plated, removable wire shelves.
- ◆ Gaskets is high-temperature tolerance, cabinet-mounted.
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Plate capacity with covers 11-3/4" to 12-3/4".
- ◆ Shelf/story will hold full size sheet pans 18"X26".
- ◆ Adjustable thermostat allows a variety of warming temperatures.
- ◆ Two temperature gauges, one works non-electric for monitoring transportation temperature.
- ◆ Provides cabinet holding temperature up to 200F.
- ◆ Insulated, welded, double-panel stainless steel door.



Note: Dimensions and Specification are subject to change without notice.


Heated banquet cabinet, allows you hold meals at the perfect temperature until serving them. Easy access to content, cabinet is designed to hold 11-3/4" and up to 12-3/4" diameter covered plates. The Rack System can hold full-size sheet pan 18"X26" from front to back. Built-in all digital temperature controls with easy setup, a variety of temperatures including warming. Features two temperature gauges, one for electronic monitoring and one non-electrical for transportation monitoring. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7101BQ-192



Front View



Side View



Top View







Plate configurations



8" - 8-3/4"
128 Plates



9" - 10"
96 Plates



10-1/4" - 12-3/4"
64 Plates

Pan Capacity 8 shelves/stories, 18" x 26" sheets

Electrical 120 Volts, 60Hz

Power 3000 Watts

Net Weight 600 lbs.

Gross shipping weight 660 lbs.

Class 100

Dimensions 74.2" W x 32" D x 67.4" H

Package 75" W x 36.75" D x 69" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7008-CSF7 Mobile Transportation Cabinet



- ◆ Enclosed mobile transportation cabinet.
- ◆ Magnetic handle.
- ◆ Total pan capacity is thirty nine full size Pan (18" x26").
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Non-insulated.
- ◆ Galvanized aluminum.
- ◆ Sanitary and rustproof.
- ◆ Prevents dehydration.

Note: Dimensions and Specification are subject to change without notice.




This full-size Non insulated Mobile Transportation cabinet can hold up to thirty nine 18" x 26" full size pans, as well as a variety of others. Offering the ability to transport and store a variety of plate sizes. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7008-CSF7




Front View



Side View



Top View



Pan Capacity 39 shelves/stories 18" x 26" sheets

Electrical Not applicable

Power Not applicable

Net Weight 140 lbs.

Gross shipping weight 154 lbs.

Class 100

Dimensions 21.6" W x 31" D x 66.6" H

Package 24.5" W x 33" D x 67" H

Warranty 1 Year Manufactures limited Warranty

Specification

HPC7008-CSF7H Mobile Transportation Cabinet



- ◆ Enclosed mobile transportation cabinet.
- ◆ Magnetic handle.
- ◆ Total pan capacity is thirty nine full size Pan (18" x26").
- ◆ High quality 5" casters, two with safety-lock.
- ◆ Non-insulated.
- ◆ Aluminum cabinet with stainless steel door.
- ◆ Sanitary and rustproof.
- ◆ Prevents dehydration.

Note: Dimensions and Specification are subject to change without notice.




This full-size Non insulated Mobile Transportation cabinet can hold up to thirty nine 18" x 26" full size pans, as well as a variety of others. Offering the ability to transport and store a variety of plate sizes. Designed with enduring quality in mind.

Dimensions and Specifications


HPC7008-CSF7H




Front View



Side View



Top View



Pan Capacity 39 shelves/stories 18" x 26" sheets

Electrical Not applicable

Power Not applicable

Net Weight 120 lbs.

Gross shipping weight 134 lbs.

Class 100

Dimensions 21.6" W x 31" D x 66.6" H

Package 24.5" W x 33" D x 69" H

Warranty 1 Year Manufactures limited Warranty

Specification

ST5005E-2

2 Well Steam Table



- ◆ Easy to clean.
- ◆ Stainless Steel Construction.
- ◆ Uses Edgeless Water pan.
- ◆ ½" polyethylene cutting board.
- ◆ Adjustable stainless-steel legs.
- ◆ Thermostatic heat controls and indicator lights.
- ◆ 8" deep open well design fits full size spillage pans.
- ◆ Individually controlled 500W tubular heating elements.



Note: Dimensions and Specification are subject to change without notice.


Cozoc's 8" deep open well steam table features individual bays (uses edgeless water pan), each with independent temperature controls perfect for maintaining hot foods. Adjustable unit height, constructed of stainless steel with four stainless-steel legs and stainless-steel under shelf, 1/2" thick polyethylene cutting board for workspace. Individually controlled 500W tubular heating elements in each bay assuring proper holding temperatures

Dimensions and Specifications


ST5005E-2



Front View



Side View



Pan Use edgeless water pan.

Options None

Electrical 120 Volts

Power 1000 Watts

Power per bay 500 Watts

Net Weight 121 lbs.

Gross shipping weight 126 lbs.

Class 100

Dimensions 31.6" W x 30.6" D x 34" H

Package 35" W x 26" D x 19" H

Warranty 1 Year Manufactures limited Warranty

Specification

ST5005E-3

3 Well Steam Table



- ◆ Easy to clean.
- ◆ Stainless Steel Construction.
- ◆ Uses Edgeless Water pan.
- ◆ ½" polyethylene cutting board.
- ◆ Adjustable stainless-steel legs.
- ◆ Thermostatic heat controls and indicator lights.
- ◆ 8" deep open well design fits full size spillage pans.
- ◆ Individually controlled 500W tubular heating elements.



Note: Dimensions and Specification are subject to change without notice.




Cozoc's 8" deep open well steam table features individual bays (uses edgeless water pan), each with independent temperature controls perfect for maintaining hot foods. Adjustable unit height, constructed of stainless steel with four stainless-steel legs and stainless-steel under shelf, 1/2" thick polyethylene cutting board for workspace. Individually controlled 500W tubular heating elements in each bay assuring proper holding temperatures

Dimensions and Specifications


ST5005E-3



Front View



Side View



Pan Use edgeless water pan.

Options None

Electrical 120 Volts

Power 1500 Watts

Power per well 500 Watts per well

Net Weight 165 lbs.

Gross shipping weight 173 lbs.

Class 100

Dimensions 47" W x 30.6" D x 34" H

Package 50" W x 26" D x 19" H

Warranty 1 Year Manufactures limited Warranty

Specification

ST5005E-4

4 Well Steam Table



- ◆ Easy to clean.
- ◆ Stainless Steel Construction.
- ◆ Uses Edgeless Water pan.
- ◆ ½" polyethylene cutting board.
- ◆ Adjustable stainless-steel legs.
- ◆ Thermostatic heat controls and indicator lights.
- ◆ 8" deep open well design fits full size spillage pans.
- ◆ Individually controlled 500W tubular heating elements.



Note: Dimensions and Specification are subject to change without notice.


Cozoc's 8" deep open well steam table features individual bays (uses edgeless water pan), each with independent temperature controls perfect for maintaining hot foods. Adjustable unit height, constructed of stainless steel with four stainless-steel legs and stainless-steel under shelf, 1/2" thick polyethylene cutting board for workspace. Individually controlled 600W tubular heating elements in each bay assuring proper holding temperatures.

Dimensions and Specifications


ST5005E-4



Front View



Side View



Pan Use edgeless water pan.

Options None

Electrical 120 Volts

Power 2000 Watts

Net Weight 209 lbs.

Gross shipping weight 219 lbs.

Class 100

Dimensions 62.4" W x 30.6" D x 34" H

Package 66" W x 26" D x 19" H

Warranty 1 Year Manufactures limited Warranty

Specification

ST5005E-5

5 Well Steam Table



- ◆ Easy to clean.
- ◆ Stainless Steel Construction.
- ◆ Uses Edgeless Water pan.
- ◆ ½" polyethylene cutting board.
- ◆ Adjustable stainless-steel legs.
- ◆ Thermostatic heat controls and indicator lights.
- ◆ 8" deep open well design fits full size spillage pans.
- ◆ Individually controlled 500W tubular heating elements.



Note: Dimensions and Specification are subject to change without notice.


Cozoc's 8" deep open well steam table features individual bays (uses edgeless water pan), each with independent temperature controls perfect for maintaining hot foods. Adjustable unit height, constructed of stainless steel with four stainless-steel legs and stainless-steel under shelf, 1/2" thick polyethylene cutting board for workspace. Individually controlled 600W tubular heating elements in each bay assuring proper holding temperatures

Dimensions and Specifications


ST5005E-5



Front View



Side View



Pan Use edgeless water pan.

Options None

Electrical 120 Volts

Power 2500 Watts

Net Weight 253 lbs.

Gross shipping weight 266 lbs.

Class 100

Dimensions 77.8" W x 30.6" D x 34" H

Package 81" W x 26" D x 19" H

Warranty 1 Year Manufactures limited Warranty

Specification

PW5002-4-16 Steamer Heated Merchandiser



- ◆ Easy to clean.
- ◆ Easy-to-fill water pan.
- ◆ Tempered safety glass.
- ◆ Handle on door for easy access.
- ◆ Stainless-steel construction.
- ◆ Heat temperature up to 180°F.
- ◆ Five sliding shelves for easy access.
- ◆ Removable –customizable top P.O.P panels.
- ◆ Digital controls and temperature display.
- ◆ Accommodates any size hotdog, link or sausage.
- ◆ Removable product trays for easy cleaning.
- ◆ Designed for holding steamed precooked, refrigerated or frozen specialty foods.
- ◆ Water tube on front panel for easy monitoring of water level and can be used to refill or drain the unit.



Note: Dimensions and Specification are subject to change without notice.


Cozoc steamer display cabinet quickly steams refrigerated or frozen specialty foods and holds them at a ready-to-eat temperature up to 212°F. The cabinet is lit from the top to attractively showcase foods to customers. Top headers are changeable for customization. Features adjustable digital thermostat and controls, offering easy change settings, resettable hi-limit thermostat for additional safety.

Dimensions and Specifications


PW5002-4-16




Front View



Side View



Top View



Options None

Electrical 120 Volts, 60 Hz

Power 1800 Watts

Net Weight 80 lbs.

Gross shipping weight 85 lbs.

Class 85

Dimensions 16.8" W x 19" D x 29.6" H

Package 19" W x 23.2" D x 31" H

Warranty 1 Year Manufactures limited Warranty

Specification

FW5002-8

Hot dog Steamer Warmer



- ♦ Easy to clean.
- ♦ steel construction.
- ♦ Water fill on front panel
- ♦ Sliding doors for easy access.
- ♦ Heat temperature up to 160 °F.
- ♦ Low water indicator automatic alarm.
- ♦ Digital controls and temperature display.
- ♦ Accommodates any size hotdog, link or sausage.
- ♦ Removable product trays and removable doors for easy cleaning.



Note: Dimensions and Specification are subject to change without notice.




Cozoc hotdog and food steamer holds up to 164 hotdogs and 36 buns. The unique divided hotdog tray allows for different sizes of hot dogs or sausages to be cooked and merchandised simultaneously. Stainless steel construction, removable product trays and removable doors assure easy cleaning. The steamer is equipped with a digital temperature control system and a low water indicator alarm. Unit will automatically detect low water, sound alarm and automatically power itself down until water is added back into the unit. Once the unit detects water is added the steamer will automatically turn back on. Water fill is located on front of the unit.

Dimensions and Specifications


FW5002-8



Front View



Side View



Options None

Electrical 120 Volts, 60 Hz

Power 700 Watts

Net Weight 37 lbs.

Gross shipping weight 40 lbs.

Class 85

Dimensions 16.1" W x 17.2" D x 20.6" H

Package 18" W x 19" D x 22" H

Warranty 1 Year Manufactures limited Warranty

Specification

FW5002-9 Steamer Warmer Merchandiser



- ♦ Easy to clean.
- ♦ Easy-to-fill water pan.
- ♦ Easy access, pass through doors.
- ♦ Stainless-steel construction.
- ♦ Tempered safety glass.
- ♦ Sliding doors for easy access.
- ♦ Heat temperature 80 °F. - 175°F.
- ♦ Three shelves for easy access.
- ♦ Digital controls and temperature display.
- ♦ Specially designed baffle for even temperature distribution
- ♦ Removable product trays and removable doors for easy cleaning.
- ♦ Designed for holding steamed precooked, refrigerated or frozen specialty foods.




Cozoc steamer warmer merchandiser showcase is well lit to showcase food offerings. Its digital control and LED temperature gauge offer easy set up with temperature range from 80F – 180F. With the ability to keep food hot as well as moist using humidity if desired. Features 3 adjustable shelves to merchandise food, clear tempered front and rear sliding glass doors, easy of loading of food. With the ability to heat and proof food products. Available in three sizes 26" 36" and 48"

Dimensions and Specifications


FW5002-9



Front View



Side



	FW5002-9 26 inch	FW5002-9 36 inch	FW5002-9 48 inch
Electrical	120 Volts, 60 Hz	120 Volts, 60 Hz	120 Volts, 60 Hz
Power	1400 Watts	1800 Watts	1800 Watts
Net Weight	70 lbs.	90 lbs.	113 lbs.
Gross shipping weight	77 lbs.	99 lbs.	123 lbs.
Class	85	85	85
Dimensions	26"W x 18"D	36"W x 18"D	48"W x 18"D
A=Width	x 23.75"H	x 23.75"H	x 23.75"H
B=Depth			
C=Height			
Package	29"W x 21"D x 26"H	39"W x 21"D x 26"H	51"W x 21"D x 26"H
Warranty	1 Year Manufactures limited Warranty	1 Year Manufactures limited Warranty	1 Year Manufactures limited Warranty

Specification

FW5004-2 Curved Warmer Merchandiser



- ◆ Easy to clean.
- ◆ Stainless-Steel cabinet
- ◆ Tempered glass side and door panels.
- ◆ Designed for holding precooked specialty foods.
- ◆ Fixed chrome-plated racks.
- ◆ Adjustable thermostat, 1200-watt element, Temperature up to 160°F.

Note: Dimensions and Specification are subject to change without notice.




Cozoc 2-Door warmer merchandiser is designed for counter applications. The operator side has controls and a door for easy loading. The consumer side has a door for self-serve. Features an adjustable thermostat with a circulating fan, three adjustable chrome-plated racks can that be placed flat or sloped and are removable for easy cleaning. Stainless Steel and Aluminum construction provides durability and ease of cleaning.

Dimensions and Specifications


FW5004-2



Front View



Side View



Options None

Electrical 120 Volts, 60 Hz

Power 1200 Watts

Net Weight 57 lbs.

Gross shipping weight 64 lbs.

Class 85

Dimensions 26" W x 17.5" D x 22.75" H

Package 31" W x 21" D x 36" H

Warranty 1 Year Manufactures limited Warranty

Specification

PW5002-3

Warmer Merchandiser



- ♦ Easy to clean.
- ♦ Aluminum cabinet.
- ♦ Tempered glass side and door panels.
- ♦ Designed for holding precooked specialty foods.
- ♦ Two clear glass doors front or rear counter applications.
- ♦ Adjustable chrome-plated racks can be placed flat or sloped.
- ♦ Adjustable thermostat, 450-watt element, Temperature up to 160°F.

Note: Dimensions and Specification are subject to change without notice.




Cozoc 2-Door warmer merchandiser is designed for counter applications. The operator side has controls and a door for easy loading. The consumer side has a door for self-serve. Features an adjustable thermostat with a circulating fan, three adjustable chrome-plated racks can that be placed flat or sloped and are removable for easy cleaning. Stainless Steel and Aluminum construction provides durability and ease of cleaning.

Dimensions and Specifications


PW5002-3




Front View



Side View



Top View



Options None

Electrical 120 Volts, 60 Hz

Power 450 Watts

Net Weight 39 lbs.

Gross shipping weight 42 lbs.

Class 85

Dimensions 16" W x 17.75" D x 24.5" H

Package 17.75" W x 19.75" D x 25" H

Warranty 1 Year Manufactures limited Warranty

Specification

PW5002-10

Pizza Warmer



- ♦ Easy to clean.
- ♦ Easy-to-fill water pan
- ♦ Designed for proofing and heating.
- ♦ Stainless-steel & Aluminum cabinet.
- ♦ Two doors for front or rear counter applications.
- ♦ Revolving tiered pizza racks holds 18" and 20" pizza pans.
- ♦ Illuminated cabinet for visibility and merchandising.
- ♦ Temperature control ranges from 110°F to 175°F with a digital thermometer.



Note: Dimensions and Specification are subject to change without notice.




Cozoc Pizza warmer keeps pizza warm and provides eye appeal for increased sales. The unit can also be used for proofing as well. The sturdy stainless-steel and aluminum construction provides durability and ease of cleaning. Tempered glass side and door panels, Two door design allowing access from behind counter to load and in front of counter for self-serving consumers. Illuminated cabinet for high visibility. Along with an adjustable thermostat, digital thermometer TM-1 makes tempera-

Dimensions and Specifications


PW5002-10




Front View



Side



Top



Model Number	PW5002-10-18	PW5002-10-22
Electrical	120 Volts, 60 Hz	120 Volts, 60 Hz
Power	1340 Watts	1340 Watts
Net Weight	75 lbs.	88 lbs.
Gross shipping weight	82 lbs.	95 lbs.
Class	85	85
Dimensions	20.9"W x 22.5"D x 29.2"H	22.8"W x 24.4"D x 29.2"H
Package	24"W x 24"D x 31"H	26"W x 26"D x 31"H
Warranty	1 Year Manufactures limited Warranty	1 Year Manufactures limited Warranty

Specification

PW5002-10 Pretzel

Pretzel Warmer



- ♦ Easy to clean.
- ♦ Easy-to-fill water pan
- ♦ Designed for proofing and heating.
- ♦ Stainless-steel & Aluminum cabinet.
- ♦ Two doors for front or rear counter access.
- ♦ Revolving tiered Pretzel racks holds
- ♦ Illuminated cabinet for visibility.
- ♦ Temperature control ranges from 110°F to 175°F with a digital thermometer.

Note: Dimensions and Specification are subject to change without notice.




Cozoc pretzel warmer keeps pretzels warm and provides eye appeal for increased sales. The unit can also be used for proofing as well. The sturdy stainless-steel and aluminum construction provides durability and ease of cleaning. Tempered glass side and door panels, Two door design allowing access from behind counter to load and in front of counter for self-serving consumers. Illuminated cabinet for high visibility. Along with an adjustable thermostat, digital thermometer TM-1 makes temperature readings easy and precisely accurate.

Dimensions and Specifications


PW5002-10 Pretzel




Front View



Side



Top



Model number FW5002-10-18

FW5002-10-22

Electrical 120 Volts, 60 Hz

120 Volts, 60 Hz

Power 1340 Watts

1340 Watts

Net Weight 73 lbs.

88 lbs.

Gross shipping weight 82 lbs.

95 lbs.

Class 85

85

Dimensions 21"W x 22.5"D
x 29.25"H

22.8"W x 24.4"D
x 29.2"H

Package 24"W x 24"D
x 31"H

26"W x 26"D
x 31"H

Warranty 1 Year Manufactures
limited Warranty

1 Year Manufactures
limited Warranty

Specification

HDG5001

Hot Dog Roller



- ♦ Adjustable thermostats.
- ♦ Illuminated power switch.
- ♦ Easy to clean stainless-steel rollers.
- ♦ Accommodates any size hotdog, sausages or breakfast links.
- ♦ Rollers 360-degree rotation assures even heating of hotdogs
- ♦ High torque motor for years of durability.
- ♦ Two temperature controls featuring dual-zone heating, set rear rollers to a higher temperature for quick grilling, front rollers to holding temperature.



Note: Dimensions and Specification are subject to change without notice.

Cozoc high quality hot dog roller grill. Features stainless steel construction, removable drip tray and stainless-steel rollers which ensure ease of cleaning. Cozoc hot dog grills offers a high-torque motor with 360-degree roller rotation that will insure evenly cooked hotdogs. Optional sneeze guards and dry bun boxes are available for both models.



HDG5001-9

Options Bun Box: CW9

Sneeze Guard: SG9

Dog Capacity 24

Electrical 120 Volts, 60 Hz

Power 820 Watts

Net Weight 24 lbs.

Gross shipping weight 28 lbs.

Class 85

Dimensions 22" W x 17.25" D x 8" H

Package 24" W x 19.25" D x 10" H

Warranty 1 Year Manufactures limited Warranty

HDG5001-11

Options Bun Box: CW11

Sneeze Guard: SG11

Dog Capacity 30

Electrical 120 Volts, 60 Hz

Power 1000 Watts

Net Weight 28 lbs.

Gross shipping weight 32 lbs.

Class 85

Dimensions 22" W x 20" D x 8" H

Package 24" W x 22" D x 10" H

Warranty 1 Year Manufactures limited Warranty

Specification

EG4001-15

Electric Griddle



- ◆ Direct desired temperature setting (DDTS).
- ◆ Even surface temperature, no hot or cold spots on cooking surface.
- ◆ Digital control/temperature display.
- ◆ Edge-to-edge cooking capability.
- ◆ Space saving design.
- ◆ Green energy & high efficiency
- ◆ Easy to clean.
- ◆ 304 Stainless steel cooking surface.
- ◆ Even heat up to 400 °F.



Note: Dimensions and Specification are subject to change without notice.


This light weight, energy efficient, stainless steel cooking surface electric griddle features even temperatures on every point of the cooking surface. Accurate digital controls and LED temperature read out. Takes only 8 minutes to get to maximum temperature of 400 °F. Estimated cost per day to run the EG4001-15 is only \$0.54 per day at 10 hours of daily working time.

Dimensions and Specifications


EG4001-15



Front View



Side View



Options None

Electrical 120 Volts, 60 Hz

Power 900 Watts

Net Weight 20 lbs.

Gross shipping weight 22 lbs.

Class 85

Dimensions 14" W x 17" D x 7.5" H

Package 16.2" W x 18" D x 8.7" H

Warranty 1 Year Manufactures limited Warranty

Specification

CCM100 Cotton Candy Machine



- ♦ Easy to setup, use and clean.
- ♦ Removable bowl and guard.
- ♦ Made of High Grade Steele.
- ♦ Eye popping pink gloss enamel paint.
- ♦ 2 switch operation, one non illuminated switch to control heat element, a lighted switch for flossing mode.

Note: Dimensions and Specification are subject to change without notice.



With the Cozoc cotton candy machine, you can use flossing sugar or regular household granulated sugar to make delicious cotton candy. To add a little flavor and color to the cotton candy, mix a pinch of your favorite pre-sweetened Kool-Aid® to the sugar. Imagine the variety of flavors. The Cozoc Cotton Candy Machine can be used for

Options None

Electrical 120 Volts, 60 Hz

Power 900 Watts

Net Weight 20 lbs.

Gross shipping weight 24 lbs.

Class 85

Dimensions 11.75" W x 14.75" D x 11" H
without bowl

Package 15" W x 17" D x 17" H

Warranty 1 Year Manufactures limited Warranty

Specification

FW5003-16

PVC Film Wrapper



- ♦ Easy to clean.
- ♦ Fast, professional-quality results.
- ♦ All-stainless-steel wrapping surface.
- ♦ Digital temperature display and controls.
- ♦ Solid-state controlled hot rod cut-off bar.
- ♦ Standard-size hot plate with stainless steel.
- ♦ Easy to control a variety of hot plate temperatures.

Note: Dimensions and Specification are subject to change without notice.



Achieve fast, professional-quality results with this commercial-grade PVC film wrapper. Durable stainless-steel construction stands up to heavy use. All-stainless-steel wrapping surface for quick, easy clean up. Use the solid-state-controlled and constant temperature design for hot rod cut-off bar to effortlessly cut off excess film.

Options None

Electrical 120 Volts, 60 Hz

Power 250 Watts

Net Weight 13 lbs.

Gross shipping weight 16 lbs.

Class 85


Dimensions 19" W x 23" D x 5"

Package 21" W x 25" D x 7" H

Warranty 1 Year Manufactures limited Warranty

Cozoc Heater Proofer Cabinet

Digital Control Panel



The front control panel descriptions:

1. Three digital LED display
2. Heat element indicate
3. Water element indicate
4. <MODE>: Switch between “Heat” and “Heat/proof” mode.
5. <UP>: increase temperature values
6. <DOWN>: lower temperature values
7. “Heat” mode indicate
8. “Heat/proof” mode indicate
9. Main power switch.

Cozoc Group Inc

www.cozoc.com

Phone: 626-330-6269

Fax: 626-956-0765

