

HP SALES Northeast



Basket-Roast Rotisseries

TABLE OF CONTENTS

BASKET ROAST ROTISseries

INTRODUCTION

DECO SERIES Electric Only

DECO RB 15 Electric Only

DECO RB 20 Electric Only

DECO RB 30 Electric Only

NEOGRILL SERIES Electric Only

NEOGRILL N1 Electric Only

NEOGRILL N1 & CART ASSEMBLY

VENTLESS HOOD S4/N1

NEOGRILL N2 Electric Only

NEOGRILL N2 COMBINATION

NEOL (NEOGRILL COMBINED)

STEAMBOX SERIE Electric Only

STEAMBOX

STEAMBOX COMBINATION

NEOBX (STEAMBOX COMBINED)

SENSUP SERIES Electric Only

SENSUP S6

SENSUP S9

OUR NEW LINE OF STACKABLE, VENTLESS & SELF-CLEANING ELECTRIC BASKET-ROAST ROTISSERIES



OUR NEW LINE OF STACKABLE, VENTLESS & SELF-CLEANING ELECTRIC BASKET-ROAST ROTISSERIES



***DECO**



***NEOGRILL**



NEOL
(NEOGRILL & DISPLAY)

- *OPTIONS**
- VENTLESS HOOD
 - DOUBLE STACK



***STEAMBOX**
(Self-Cleaning)



NEOBOX
(STEAMBOX & DISPLAY)



***SENSUP**
(Self-Cleaning)

BASKET ROAST ROTISSERIES

DECO SERIES Electric only

Manufacturer :



DÉCO RB 15



ELECTRIC



BASKETS

GIVING YOU A PANORAMIC VIEW OF
THE TRADITIONAL ROTISSERIE OVEN



ROTISSERIE

SPECIFICATIONS


Model : **DECO RB 15**

Manufacturer :



DESIGN

Based on a traditional baskets-roast rotisserie oven, the DÉCO series stands out thanks to a third (lateral) window, giving you a panoramic view of the cooking process... With a fully enameled finish, this unit bathes in the glow of a double quartz lighting system. A real show for your customers!



COOKING SYSTEM

15 chickens per hour.
Baskets for chickens, joints of meat... a static grill and oven mode for pizzas, special dishes... a central spit for large joints.

CLEANING

The interior can be fully dismantled.



PERFORMANCE

5 stainless steel baskets driven by a high-power motor, heated by 3 reinforced, "incoloy" infrared elements, high-temperature thermal seal joints (energy saving).

ERGONOMIC

Flat, protected control buttons, double-regulation thermostat oven control, automatic timed shut-off with a "temperature hold" mode.

COLORS

STANDARD

■ Signal Black
(RAL 9004)

STANDARD INTERIOR

■ Traffic red (RAL 3020)
or
■ Light ivory (RAL 1015)



ROTISSERIE

SPECIFICATIONS

Model : **DECO RB 15**


Manufacturer :



TOP VIEW

SIDE VIEW

FRONT VIEW



E 220 V Tri Phase 17.4 Amps.

ELECTRICAL SUPPLY

RB 15 DECO

220V Triphase

Power: 6.7KW

Model	Length	Height	Depth	Number of baskets	Power	Capacity per hour (depending on weight)
RB 15 Déco	34 1/4"	34 1/2"	30 3/4"	5	6.70 kW	15 Vol.
Oven	Length	Height	Depth	Power		
EB 15	34 1/4"	31"	28 3/4"	2.30 kW		

BASKETS-ROAST ROTISSERIE

DÉCO RB 20



HP SALES
Northeast



ELECTRIC



BASKETS

GIVING YOU A PANORAMIC VIEW OF
THE TRADITIONAL ROTISSERIE OVEN



ROTISSERIE

SPECIFICATIONS


Model : **DECO RB 20**

Manufacturer :



DESIGN

Based on a traditional baskets-roast rotisserie oven, the DÉCO series stands out thanks to a third (lateral) window, giving you a panoramic view of the cooking process... With a fully enameled finish, this unit bathes in the glow of a double quartz lighting system. A real show for your customers!



COOKING SYSTEM

20 chickens per hour.
Baskets for chickens, joints of meat... a static grill and oven mode for pizzas, special dishes... a central spit for large joints.

CLEANING

The interior can be fully dismantled.



PERFORMANCE

5 stainless steel baskets driven by a high-power motor, heated by 3 reinforced, "incoloy" infrared elements, high-temperature thermal seal joints (energy saving).

ERGONOMIC

Flat, protected control buttons, double-regulation thermostat oven control, automatic timed shut-off with a "temperature hold" mode.

COLORS

STANDARD

■ Signal Black
(RAL 9004)

STANDARD INTERIOR

■ Traffic red (RAL 3020)
or
■ Light ivory (RAL 1015)



ROTISSERIE

SPECIFICATIONS

Model : **DECO RB 20**


Manufacturer :



TOP VIEW

SIDE VIEW

FRONT VIEW



E 220 V Tri Phase 26.1 Amps.

ELECTRICAL SUPPLY

RB 20 DECO

220V Triphase

Power: 9.1KW

Model	Length	Height	Depth	Number of baskets	Power	Capacity per hour (depending on weight)
RB 20 Déco	45"	38 1/4"	32"	5	9.10 kW	20 Vol.
Oven	Length	Height	Depth	Power		
EB 20	44 3/4"	34 1/2"	29 1/2"	3.30 kW		

BASKETS-ROAST ROTISSERIE

DÉCO RB 30

ORIGINE
FRANCE
GARANTIE

HP SALES
Northeast



ELECTRIC



BASKETS

GIVING YOU A PANORAMIC VIEW OF
THE TRADITIONAL ROTISSERIE OVEN



ROTISSERIE

SPECIFICATIONS


Model : **DECO RB 30**

Manufacturer :



DESIGN

Based on a traditional baskets-roast rotisserie oven, the DÉCO series stands out thanks to a third (lateral) window, giving you a panoramic view of the cooking process... With a fully enameled finish, this unit bathes in the glow of a double quartz lighting system. A real show for your customers!



COOKING SYSTEM

30 chickens per hour.
Baskets for chickens, joints of meat... a static grill and oven mode for pizzas, special dishes... a central spit for large joints.

CLEANING

The interior can be fully dismantled.



PERFORMANCE

6 stainless steel baskets driven by a high-power motor, heated by 3 reinforced, "incoloy" infrared elements, high-temperature thermal seal joints (energy saving).

ERGONOMIC

Flat, protected control buttons, double-regulation thermostat oven control, automatic timed shut-off with a "temperature hold" mode.

COLORS

STANDARD

■ Signal Black
(RAL 9004)

STANDARD INTERIOR

■ Traffic red (RAL 3020)
or
■ Light ivory (RAL 1015)



ROTISSERIE

SPECIFICATIONS

Model : **DECO RB 30**




Manufacturer :



TOP VIEW

SIDE VIEW

FRONT VIEW



E 220 V Tri Phase 26.1 Amps.

ELECTRICAL SUPPLY

RB 30 DECO

220V Triphase

Power: 10 KW

Model	Length	Height	Depth	Number of baskets	Power	Capacity per hour (depending on weight)
RB 30 Déco	45"	38 1/4"	32"	6	10 kW	30 Vol.
Oven	Length	Height	Depth	Power		
EB 20/30	44 3/4"	34 1/2"	29 1/2"	3.30 kW		

BASKET ROAST ROTISSERIES

NEOGRILL SERIES Electric Only

Manufacturer :



BASKETS-ROAST ROTISSERIE

NÉOGRILL N1



HP SALES
Northeast



ELECTRIC



BASKETS

EFFICIENCY AND PERFORMANCE
ENSURING MAXIMUM FLAVOUR



ROTISSERIE

SPECIFICATIONS

Model : **NEOGRILL N1**

Manufacturer :



A BEAUTIFUL DESIGN

Simple, efficient and versatile. This rotisserie oven is designed to make your life easier. An innovative design with large viewing windows, glass-ceramic protected quartz lighting.



CAPACITY

16 chickens per hour.

PERFORMANCE

4 stainless steel Stand-up® baskets driven by a powerful motor, heated by 3 reinforced infrared "incoloy" heaters.

ERGONOMIC

New extra-flat touchscreen control panel, thermostat-regulated cook settings, automatic shut-off with "temperature hold" mode.

EASY TO CLEAN

Opens on both sides, the interior can be fully dismantled, red enameled sheet steel and dye-penetrating silk-screening on the windows.

SAFETY

Toughened glass protection, protected access to the fat tray.

ELECTRICAL SUPPLY

220V tri-phase
20 Amps



ROTISSERIE

SPECIFICATIONS

Model : **NEOGRILL N1**




Manufacturer :



TOP VIEW

SIDE VIEW

FRONT VIEW



E 220 V Tri Phase 20Amps.



An innovative basket

The Stand-up® basket, a new Dorégrill patent to make your life that much easier... Chickens are held upright, increasing oven capacity. With only 3 bars, it's light, easy to clean and really shows off your products.




Model	Length	Height	Depth	Number of baskets	Power	Capacity per hour (depending on weight)
N1	33 1/2"	30 1/2"	28 1/3"	4	7.3 kW	16 Vol.
Oven	Dimensions			Power		
	Length	Height	Depth			
E. N1	33 1/2"	37"	27 1/2"	2.30 kW		

ROTISSERIE

SPECIFICATIONS

Model : **NEOGRILL N1 & CART ASSEMBLY** Manufacturer :





ROTISSERIE


SPECIFICATIONS

Model : **VENTLESS HOOD S4 / N1**

Manufacturer :



TOP VIEW



BASKETS-ROAST ROTISSERIE

NÉOGRILL N2

ORIGINE
FRANCE
GARANTIE

HP SALES
Northeast



ELECTRIC



BASKETS

EFFICIENCY AND PERFORMANCE
ENSURING MAXIMUM FLAVOUR



ROTISSERIE

SPECIFICATIONS

Model : **NEOGRILL N2**

Manufacturer :



A BEAUTIFUL DESIGN

Simple, efficient and versatile. This rotisserie oven is designed to make your life easier. An innovative design with large viewing windows, glass-ceramic protected quartz lighting.



CAPACITY

24 chickens per hour.

PERFORMANCE

4 stainless steel Stand-up® baskets driven by a powerful motor, heated by 3 reinforced infrared "incology" heaters.

ERGONOMIC

New extra-flat touchscreen control panel, thermostat-regulated cook settings, automatic shut-off with "temperature hold" mode.

EASY TO CLEAN

Opens on both sides, the interior can be fully dismantled, red enameled sheet steel and dye-penetrating silk-screening on the windows.

SAFETY

Toughened glass protection, protected access to the fat tray.

ELECTRICAL SUPPLY

220V tri-phase
20 Amps



ROTISSERIE

SPECIFICATIONS

Model : **NEOGRILL N2**




Manufacturer :



TOP VIEW

SIDE VIEW

FRONT VIEW



E 220 V Tri Phase 20Amps.



An innovative basket

The Stand-up® basket, a new Dorégrill patent to make your life that much easier... Chickens are held upright, increasing oven capacity. With only 3 bars, it's light, easy to clean and really shows off your products.




Model	Length	Height	Depth	Number of baskets	Power	Capacity per hour (depending on weight)
N2	42 1/4"	30 1/2"	28 1/3"	4	9.1 kW	24 Vol.
Oven	Dimensions			Power		
	Length	Height	Depth			
E, N2	42 1/4"	37"	27 1/2"	3.30 kW		

ROTISSERIE



SPECIFICATIONS

Model : **NEOGRILL N2 COMBINATION**

Manufacturer :




Power = 10kW
Plug = 52A
220V triphase +T+N



BASKETS-ROAST ROTISSERIE

HP SALES
Northeast

NEOL (NEOGRILL COMBINED)



ELECTRIC



BASKETS

**EFFICIENCY AND PERFORMANCE
ENSURING MAXIMUM FLAVOUR**



ROTISSERIE

SPECIFICATIONS

Model : **NEOL (NEOGRILL COMBINED)**

Manufacturer :



NEOGRILL

Simple, efficient and versatile. This rotisserie oven is designed to make your life easier.

CAPACITY

16 chickens (Model N1) to 24 chickens (model N2) per hour.

PERFORMANCE

4 stainless steel Stand-up® baskets driven by a powerful motor, heated by 3 reinforced infrared "incoloy" heaters.

ERGONOMIC

New extra-flat touchscreen control panel, thermostat-regulated cook settings, automatic shut-off with "temperature hold" mode.

A BEAUTIFUL DESIGN

An innovative design with large viewing windows, glass-ceramic protected quartz lighting.

EASY TO CLEAN

Opens on both sides, the interior can be fully dismantled, red enameled sheet steel and dye-penetrating silk-screening on the windows.

SAFETY

Toughened glass protection, protected access to the fat tray.



NEOL, combined Neogrill and self-service display

DISPLAY (V85.LS) SPECIFICATIONS

- 2 stainless steel shelves, with the upper shelf set back
- Glass-ceramic protection and lighting
- Windows on each side for a panoramic view
- Heated shelves
- Customer access from the front
- Compact design
- Black coating
- Mobility with 4 castors, 2 with brakes
- Optional: assisted service (display closed off with two sliding windows at the front)
- Capacity: up to 20 chickens

POWER SUPPLY

- Standard: 220V tri-phase
- Power: 10,22 Kw
- 26.7 Amps
- Weight: 436 pounds



ROTISSERIE


SPECIFICATIONS

Model : **NEOL (NEOGRILL COMBINED)**


Manufacturer :




TOP VIEW



SIDE VIEW



FRONT VIEW



E 220 V Tri Phase 26.7Amps.



An innovative basket

The Stand-up® basket, a new Dorégrill patent to make your life that much easier... Chickens are held upright, increasing oven capacity. With only 3 bars, it's light, easy to clean and really shows off your products.



Model	Length	Height	Depth	Number of baskets	Power	Capacity per hour (depending on weight)
N1	33 1/2"	30 1/2"	28 1/3"	4	7.3 kW	16 Vol.
N2	42 1/4"	30 1/2"	28 1/3"	4	9.1 kW	24 Vol.
Neol	33 3/4"	66"	37 3/4"	-	9.9 kW	-

Oven	Dimensions			Power
	Length	Height	Depth	
E. N1	33 1/2"	37"	27 1/2"	2.30 kW
E. N2	42 1/4"	37"	27 1/2"	3.30 kW

BASKET ROAST ROTISseries

STEAMBOX SERIE Electric Only

Manufacturer :



BASKETS-ROAST ROTISSERIE

STEAMBOX

ORIGINE
FRANCE
GARANTIE

HP SALES
Northeast



ELECTRIC



BASKETS



SELF-CLEANING



**A COMPACT ROTISSERIE
FOR AN OPTIMUM ROAST**

ROTISSERIE

SPECIFICATIONS

Model : **STEAMBOX**

Manufacturer :



A BEAUTIFUL DESIGN

Optimized product view thanks to front and back windows, a modern and innovative design down to the smallest details, quartz lighting protected by glass ceramic.



CAPACITY

12 to 16 chickens depending on weight.

PERFORMANCE

Incomparable cooking results, thanks to a combination of fan-assisted hot air (for a tender product) and direct infra-red heat (for color and crispy skin).

ERGONOMIC

Glass doors which open on open sides, digital thermostat, automatic shut-off once the product is cooked, "temperature hold" mode and double windows on both front and back (opens on both sides).

EASY TO CLEAN

Automatic steam cleaning program (15 min), fitted with 4 stainless steel cradles, glass touchscreen control panel, integrated rapid-drain fat tray and an interior which can be fully dismantled.



SAFETY

Toughened glass protection, protected access to the fat tray.

ELECTRICAL SUPPLY

220V tri-phase
23.7 Amps




ROTISSERIE

SPECIFICATIONS

Model : **STEAMBOX**

Manufacturer :



An innovative basket

The Stand-up® basket, a new Dorégrill patent to make your life that much easier... Chickens are held upright, increasing oven capacity. With only 3 bars, it's light, easy to clean and really shows off your products.





Model	Length	Height	Depth	Number of baskets	Power	Capacity per hour (depending on weight)
Steambox	33 3/4"	35"	30 1/2"	4	9 kW	16 Vol.

ROTISSERIE

SPECIFICATIONS

Model : **STEAMBOX COMBINATION**

Manufacturer :




BASKETS-ROAST ROTISSERIE

HP SALES
Northeast

NEOBOX (STEAMBOX COMBINED)

ORIGINE
FRANCE
GARANTIE



ÉLECTRIQUE



BALANCELLE



AUTO-NETTOYANT

**EFFICIENCY AND PERFORMANCE
ENSURING MAXIMUM FLAVOUR**



ROTISSERIE

SPECIFICATIONS

Model : **NEOBOX (STEAMBOX COMBINED)** Manufacturer :



STEAMBOX

The STEAMBOX is here to meet all of your needs! This rotisserie oven is fitted out like a dream! With a revolutionary automatic steam cleaning system, a touchscreen glass control panel and incomparable cooking quality, this is a truly indispensable tool.

CAPACITY

12 to 16 chickens depending on weight.

PERFORMANCE

Incomparable cooking results, thanks to a combination of fan-assisted hot air (for a tender product) and direct infra-red heat (for color and crispy skin).

ERGONOMIC

Glass doors which open on open sides, digital thermostat, automatic shut-off once the product is cooked, "temperature hold" mode and double windows on both front and back (opens on both sides).

A BEAUTIFUL DESIGN

Optimized product view thanks to front and back windows, a modern and innovative design down to the smallest details, quartz lighting protected by glass ceramic.

EASY TO CLEAN

Automatic steam cleaning program (15 min), fitted with 4 stainless steel cradles, glass touchscreen control panel, integrated rapid-drain fat tray and an interior which can be fully dismantled.

SAFETY

Toughened glass protection, protected access to the fat tray.



NEOBOX, combined Steambox and self-service display

DISPLAY (V85.LS) SPECIFICATIONS

- 2 stainless steel shelves, with the upper shelf set back
- Glass-ceramic protection and lighting
- Windows on each side for a panoramic view
- Heated shelves
- Customer access from the front
- Compact design
- Black coating
- Mobility with 4 castors, 2 with brakes
- Optional: assisted service (display closed off with two sliding windows at the front) • Capacity: up to 20 chickens

POWER SUPPLY

- Standard: 220V tri-phase
- Power: 10,22 Kw
- 30.6 Amps
- Weight: 436 pounds




ROTISSERIE

SPECIFICATIONS


Model : **NEOBOX (STEAMBOX COMBINED)** Manufacturer




TOP VIEW



SIDE VIEW



FRONT VIEW



E 220 V Tri Phase 26.7Amps.



An innovative basket

The Stand-up® basket, a new Dorégrill patent to make your life that much easier... Chickens are held upright, increasing oven capacity. With only 3 bars, it's light, easy to clean and really shows off your products.



Model	Length	Height	Depth	Number of baskets	Power	Capacity per hour (depending on weight)
Steambox	33 3/4"	35"	30 1/2"	4	9 kW	16 Vol.
Néobox	33 3/4"	78 3/4"	37 3/4"	4	11.6 kW	/

BASKET ROAST ROTISSERIES

SENSUP SERIES Electric Only

Manufacturer :



BASKETS-ROAST ROTISSERIE

SENSUP S6



HP SALES
Northeast



ELECTRIC



BASKETS



SELF-CLEANING

THE ALL-NEW PANORAMIC,
SELF-CLEANING ROTISSERIE OVEN



ROTISSERIE

SPECIFICATIONS

Model : **SENSUP S6**

Manufacturer :



A BEAUTIFUL DESIGN

The SENSUP is here to meet all of your needs!

Thanks to its revolutionary automatic steam cleaning system and non-stick red enamel interior, this is a time-saving miracle. What's more, the panoramic view of the inside will make your customers' mouths water.

A panoramic view, a modern and innovative design in even the smallest details, left or right control panel positioning, powerful lighting with 2 quartz lamps.



CAPACITY

20 to 30 chickens per hour depending on weight.

PERFORMANCE

Multi-directional infra-red fan-assisted heating elements, 6 rotisserie cages, can be transformed into a mixed multi-level oven, and can cook 20 to 30 chickens per hour, depending on the weight of the birds.

ERGONOMIC

Fully transparent doors which open on both sides, a digital thermostat that lets you set any temperature from 68 to 464°F, automatic shut-off once it has finished cooking with a "temperature hold" mode, core temperature probe (optional).

EASY TO CLEAN

Double-glazed, removable doors and siding, a removable central support, an integrated rapid-drain fat tray, enamel-coated interior, anti-reflection and extra-flat control panel.

SAFETY

Toughened glass protection, protected access to the fat tray.

ELECTRICAL SUPPLY

220V tri-phase
30 Amps



ROTISSERIE

SPECIFICATIONS

Model : **SENSUP S6**


Manufacturer :



TOP VIEW

SIDE VIEW

FRONT VIEW



E 220 V Tri Phase 30Amps.



Model	Length	Height	Depth	Number of baskets	Cart height	Power	Capacity per hour (depending on weight)
S6	40 1/2"	35 3/4"	30 3/4"	6	33 1/2"	11.300 kW	20/30 Vol.
ES6	40 1/2"	39"	30 3/4"	3 niv.		3.300 kW	
Cupboard S6	45"	35"	29"				

BASKETS-ROAST ROTISSERIE

SENSUP S9



HP SALES
Northeast



ELECTRIC



BASKETS



SELF-CLEANING

THE ALL-NEW PANORAMIC,
SELF-CLEANING ROTISSERIE OVEN



ROTISSERIE

SPECIFICATIONS

Model : **SENSUP S9**

Manufacturer :



A BEAUTIFUL DESIGN

The SENSUP is here to meet all of your needs!

Thanks to its revolutionary automatic steam cleaning system and non-stick red enamel interior, this is a time-saving miracle. What's more, the panoramic view of the inside will make your customers' mouths water.

A panoramic view, a modern and innovative design in even the smallest details, left or right control panel positioning, powerful lighting with 2 quartz lamps.



CAPACITY

30 to 45 chickens per hour depending on weight.

PERFORMANCE

Multi-directional infra-red fan-assisted heating elements, 9 rotisserie cages, can be transformed into a mixed multi-level oven, and can cook 20 to 30 chickens per hour, depending on the weight of the birds.

ERGONOMIC

Fully transparent doors which open on both sides, a digital thermostat that lets you set any temperature from 68 to 464°F, automatic shut-off once it has finished cooking with a "temperature hold" mode, core temperature probe (optional).

EASY TO CLEAN

Double-glazed, removable doors and siding, a removable central support, an integrated rapid-drain fat tray, enamel-coated interior, anti-reflection and extra-flat control panel.

SAFETY

Toughened glass protection, protected access to the fat tray.

ELECTRICAL SUPPLY

220V tri-phase
42.1 Amps

ROTISSERIE

SPECIFICATIONS

Model : **SENSUP S9**


Manufacturer :



TOP VIEW

SIDE VIEW

FRONT VIEW



E 220 V Tri Phase 42.1 Amps.



Model	Length	Height	Depth	Number of baskets	Cart height	Power	Capacity per hour (depending on weight)
S9	40 1/2"	43"	37 3/4"	9	29"	15.900 kW	30/45 Vol.
ES9	40 1/2"	39"	30 3/4"	3 niv.		3.300 kW	
Cupboard S9	45"	30"	47 1/2"				

